



Bearing Argentina



LSM150BRHFATL Bearing 2D drawings and 3D CAD models

TIMKEN LSM150BRHFATL Flange Block Bearings

Bearing No. LSM150BRHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	89.09
EAN	0013992048554
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSM150BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	4 Bolt Round Flange Block; 150MM Bore; 412MM Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 98.4MM Length Thru Bore; 291.3MM Bolt Spacing; Relubricatable; Tripl



Bearing Argentina

Other Features	Single Row Wide Inner Ring Light Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.timken.com
Weight / LBS	196.24
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	16.2 Inch 412 Millimeter
d	5.906 Inch 150 Millimeter
Bolt Spacing	11.5 Inch 291.3 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	3.874 Inch 98.4 Millimeter
Shaft Size	150 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Round Flange
Series Type	Light Series
Bolt Size	4 x M24
Bearing - Housing - Seal	LSM150BRHATL
Bearing - Housing - Seal UPC	013992040503
Bearing UPC	013992028655
Dimension T	18.5 in
Dimension R	16.2 in
Dimension P	1.0 in
Dimension H	4.5 in
Dimension N	13.625 in
Dimension V	0.1 in



Bearing Argentina

Dimension L	7.9 in
Cr - Dynamic Load Rating	103187 lbf
Cor - Static Load Rating	149273 lbf
Ca - Axial Load Rating	6609.30 lbf
Maximum Speed	1450 rpm
Note	This product line was formerly known as " Revolve "